


PRODUCT INFORMATION

Midkine, Mouse

Catalog number	C02090-5UG / C02090-20UG / C02090-100UG
Package	5 µg / 20 µg / 100 µg
Description	Midkine (MK or MDK) also known as neurite growth-promoting factor 2 (NEGF2) is a protein that in humans is encoded by the MDK gene. It promotes angiogenesis, cell growth, and cell migration. Midkine is also expressed in several carcinomas, suggesting that it may play a role in tumorigenesis, perhaps through its effects on angiogenesis. Midkine exhibited increased expression in the breast carcinomas but showed much lower expression in the normal breast tissue.
Source	<i>Escherichia coli</i>
Sequence	MKKKEKVKKGSECSEWTWGPCTPSSKDCGMGFREGTCGAQTQRVHCKVPCN WKKEFGADCKYKFESWGACDGGSTGTKARQGTLLKARYNAQCQETIRVTKPCT SKTKSKTKAKKGGKGD with polyhistidine tag at the C-terminus
Endotoxin level	<0.1 EU per 1 µg of the protein by the LAL method.
Purity	>98% as determined by SDS-PAGE. Ni-NTA chromatography
Formulation	The protein was lyophilized from a solution containing 1X PBS, pH 7.4.
Reconstitution	It is recommended to reconstitute the lyophilized protein in sterile H ₂ O to a concentration not less than 100 µg/mL and incubate the stock solution for at least 20 min to ensure sufficient re-dissolved.
Storage	Lyophilized protein should be stored at -20°C. Upon reconstitution, protein aliquots should be stored at -20°C or -80°C.
Note	Please use within one month after protein reconstitution.



SDS-PAGE analysis of recombinant mouse Midkine

For Research Use Only.