


PRODUCT INFORMATION

Human Noggin, Fc Tag, CHO

v. 250601

Catalog number	C01207-20UG / C01207-100UG
Package	20 μg / 100 μg
Description	Noggin is a bioactive protein intended for use in cell culture applications. Noggin protein which bind to ligands of the TGF- β family and regulate their activity by inhibiting their access to signaling receptors. Noggin was originally identified as a BMP-4 antagonist whose action is critical for proper formation of the head and other dorsal structures.
Species of Origin	Human
Expression System	СНО
Sequence	Gln28-Cys232
Affinity Tag	hlgG1 Fc (C-term)
Endotoxin Level	<0.1 EU per 1 µg of the protein by the LAL method.
Activity	Measure by its ability to inhibit BMP-4-induced alkaline phosphatase production by ATDC5 cells. The ED $_{50}$ for this effect is <0.05 μ g/mL in the presence of 50 ng/mL of recombinant human BMP-4.
Purity	>95% as determined by SDS-PAGE.
Form	Lyophilized
Storage Buffer	Lyophilized from a 0.2 μm filtered solution of PBS, pH 7.4
Reconstitution	It is recommended to reconstitute the lyophilized protein in sterile H_2O to a concentration not less than 200 $\mu g/mL$ and incubate the stock solution for at least 20 min to ensure sufficient re-dissolved.
Stability & Storage	This product is stable after storage at: -20°C for 12 months in lyophilized state from date of receipt. -20°C or -80°C for 1 month under sterile conditions after reconstitution. Avoid repeated freeze/thaw cycles.





For research use only.